

<u>About:</u> This questionnaire was developed by <u>C4R</u>, the Collaborative Cohort of Cohorts for COVID-19 Research and is approved by the Columbia University Irving Medical Center IRB (AAAT3035), Principal Investigators: Elizabeth C. Oelsner, MD, MPH & Graham Barr, MD, DrPH.

<u>Purpose:</u> The purpose of this questionnaire is to ascertain data on COVID-19 testing, self-reported COVID-19 diagnoses and hospitalizations, symptoms, recovery, re-infection, and vaccination. It also assesses the impact of the pandemic on access to healthcare, finances, health-related behaviors, social interactions, and mood.

Content: This questionnaire can be administered to individuals with no prior COVID assessments as well as those with prior COVID assessments. If prior assessments are available, text is provided to guide the interviewer to gather new information.

Mode of Administration: by telephone, mailed booklet, email, or online portal.

<u>Time to complete:</u> depending on the mode of administration and the respondent's COVID history, the questionnaire may take between 5 and 60 minutes to complete.

<u>Additional Resources:</u> Redcap data dictionary and codebook are available upon request. Investigators interested in learning more about C4R can visit https://c4r-nih.org.

<u>Participating Cohorts</u>: This questionnaire incorporates input from and will be deployed across 14 NIH-funded cohorts participating in C4R: Atherosclerosis Risk in Communities (ARIC); Coronary Artery Risk Development in Young Adults (CARDIA) Study; Genetic Epidemiology of COPD (COPDGene); Familial Interstitial Pneumonia (FIP); Framingham Heart Study (FHS); Hispanic Community Health Study (Study of Latinos (HCHS/SOL); Jackson Heart Study (JHS); Mediators of Atherosclerosis in South Asians Living in America (MASALA) Study; Multi-Ethnic Study of Atherosclerosis (MESA); Northern Manhattan Study (NOMAS); REasons for Geographic and Racial Differences in Stroke (REGARDS); Severe Asthma Research Program (SARP): Subpopulations and Intermediate Outcome Measures in COPD Study (SPIROMICS); Strong Heart Study (SHS).

Funding: C4R is funded by NIH OT2HL158276.

Suggested citation: C4R Investigators (2020) C4R Questionnaire.



Citations

The C4R Questionnaire Subcommittee adapted items from the following survey instruments:

- Oelsner MESA COVID-19 Questionnaire 2020 [Available from: https://www.phenxtoolkit.org/toolkit content/PDF/MESA Questionnaire Annotated.pdf.]
- MACS/WIHS-CSS. COVID-19 Questionnaire 2020 [Available from: https://www.phenxtoolkit.org/toolkit_content/PDF/MACS-WIHS.pdf.]
- HRS. COVID-19 Questionnaire 2020 [Available from: https://hrs.isr.umich.edu/sites/default/files/meta/2020/core/qnaire/online/05hr20COVID.p df].
- USCD ABCD COVID-19 Impact Measure Parent [Available from https://www.phenxtoolkit.org/toolkit_content/PDF/UCSD_ABCD_Parent.pdf.]
- BRFSS. Questionnaire 2019 [Available from: https://www.cdc.gov/brfss/questionnaires/pdf-ques/2019-BRFSS-Questionnaire508.pdf.
- FLU-PRO Instrument, Global Rating of Flu Severity Instrument, Patient Global Assessment of Interference with Daily Activities (Powers JH, 3rd et al. Reliability, Validity, and Responsiveness of InFLUenza Patient-Reported Outcome (FLU-PRO(c)) Scores in Influenza-Positive Patients. Value Health. 2018;21:210-218.)
- Levine DW, Kripke DF, Kaplan RM, Lewis MA, Naughton MJ, Bowen DJ, et al. Reliability and validity of the Women's Health Initiative Insomnia Rating Scale. Psychol Assess. 2003;15(2):137-48.
- RAND. Social Support Survey Instrument [Available from: https://www.rand.org/health-care/surveys tools/mos/social-support/survey-instrument.html.]
- Andresen EM, Malmgren JA, Carter WB, Patrick DL. Screening for depression in well older adults: evaluation of a short form of the CES-D (Center for Epidemiologic Studies Depression Scale). Am J Prev Med. 1994;10(2):77-84.
- Pilkonis PA, Choi SW, Reise SP, Stover AM, Riley WT, Cella D, et al. Item banks for measuring emotional distress from the Patient-Reported Outcomes Measurement Information System (PROMIS(R)): depression, anxiety, and anger. Assessment. 2011;18(3):263-83.
- Smith BW, Dalen J, Wiggins K, Tooley E, Christopher P, Bernard J. The brief resilience scale: assessing the ability to bounce back. Int J Behav Med. 2008;15(3):194-200.
- Russell DW. UCLA Loneliness Scale (Version 3): reliability, validity, and factor structure. J Pers Assess. 1996;66(1):20-40.
- Cohen S, Kamarck T, Mermelstein R. A global measure of perceived stress. J Health Soc Behav. 1983;24(4):385-96.



	Participant ID #:	
Interviewer ID:	Date: Month Day	Year

COVID-19 Survey

Greetings. Your responses to this survey will contribute to a better understanding of COVID-19 and the way it affects people like you.

If you have not had COVID-19, we expect that the survey will take 5 to 10 minutes. If you have been diagnosed with COVID-19, we will have some additional questions, so the survey may take up to 30 minutes or so. If you start the survey and need to continue later, you can scroll down and click the SUBMIT AND RETURN LATER button at the end – just be sure to record your return code.

Thank you so much for your participation in this important research.

Since your last COVID questionnaire

The last time we asked you about COVID-19 was [DATE]. At that time, you reported that you [HAD / had NOT] had COVID-19. The following questions will be about your experience since you completed the last COVID-19 questionnaire on [DATE].

COVID-19 TESTING

Since the last COVID-19 questionnaire, have you ever had any kind of test for COVID-19? Please include all types of tests that could show current or past infection (e.g., nose, spit, blood, PCR, antigen, or antibody tests).

0	Yes		
0	No	Skip to	SELF REPORT
0	Unsure —		If you'd like to provide some information on why you are unsure, please enter your comments here: Skip to SELF REPORT

Why were you tested for COVID-19? (Check all that apply)

☐ My employer or job required testing

Ш	I thought I might have had COVID-19	My school required testing
	I had symptoms of COVID-19	I needed to be tested before a medical procedure
	Someone I spent time with had COVID-19	I needed to be tested before or after traveling
	A doctor told me to be tested for COVID-19	I needed to be tested to visit or provide care for a
	A health department told me to be tested	high risk person (e.g., older family member)
	I was worried about COVID-19	Other:



of tests.		
O Yes		
○ No —— Skip to	SELF REPORT	
O Unsure ——		
		provide some information on why you are unsure, please enter your e:
	Skip to SELF R	EPORT
If previously reported COV When was it that you had		ved you had COVID-19?
<i>If no past record of COVID</i> When was it that you <u>first</u>		showed you had COVID-19?
Month:	Year:	(please estimate even if you are not sure)
What type of test was it? I	Pick one:	
O Nose ("nasal", "na	sopharyngeal" s	wab)
O Throat swab		
Spit ("saliva") test		
O Blood test (includi	ng "blood draw,	" "dried blood spot," or "finger prick")
O Other:		
Would you be willing to se	end a copy of you	ur COVID-19 results to the study?
O Yes	→ You are	e welcome to send your results in the following manner: [FILL IN
O No		RT PROCEDURES]

Since the last COVID-19 questionnaire, have you ever had a test that showed you had COVID-19? Please include all types

Skip to COVID-19 REINFECTION



COVID-19 SELF-REPORT

Since we know that some people may have had COVID-19 without having had a positive test, we want to ask a few more questions.

Sinc	e the last COV	VID questionnaire, do you think that you have had COVID-19?				
0	Yes, definitel	ly				
0	Yes, I think so	o				
0	Maybe —	Skip to HEALTHCARE PROVIDER				
0	No	Skip to HEALTHCARE PROVIDER				
Wh	en did you thir	nk you had COVID-19?				
	Month:	Year: (please estimate even if you are not sure)				
Wei	re you tested a	at that time?				
	○ Yes →	What type of test was it? Pick one:				
	O No	O Nose ("nasal", "nasopharyngeal" swab)				
O Throat swab						
	O Spit ("saliva") test					
O Blood test (including "blood draw," "dried blood spot," or "finger prick")						
		O Other:				
		Would you be willing to send a copy of your COVID-19 results to the study?				
		O Yes				
		O No				
		Why didn't you get tested for COVID-19 at that time? Check all that apply:	_			
	·	☐ I didn't know how/where to get tested ☐ I was worried about the consequences				
		☐ It was hard to get tested (e.g., long lines) of being diagnosed with COVID-19				
		☐ I was afraid to get tested ☐ A healthcare provider told me that a				
		test was not necessary I didn't think I needed to be tested				
		☐ I was worried about the cost	_			

December 30, 2020

Page 3 of 24



HEALTHCARE PROVIDER

O Yes, definitely —————	If yes, did you have:				
O Yes, probably or suspected —	a. Symptoms of COVID-19	0	Yes	0	No
O No	b. Close contact with someone who had COVID-19	0	Yes	0	No
	c. Other:				
health effects of COVID-19, we would	ORT, AND HEALTHCARE PROVIDER: Since we are interested appreciate it if you would notify us if you are diagnosed wowing manner: You are also welcome to send a lin COHORT PROCEDURES]	vith (COVID-	·19. Y	ou



COVID-19 RE-INFECTION (for participants with no past record of COVID-19)

You have reported that you know or think that you were infected with COVID-19 in [FILL IN MONTH, YEAR FROM ABOVE].

ABOVE		
	althcare provider ever told you that you may have gotten COVID-19 a second time, or that you have been "re with COVID019?	j-
0	es	
0	O Skip to HOSPITALIZATION	
Not co	ting your original infection, how many more times do you think you have been reinfected with COVID-19?	
0		
0		
0		
0		
0		
When	you know or think you were first <u>re-infected</u> with COVID-19?	
M	th: Year: (please estimate even if you are not sure)	
At that	me, what made you think you had been re-infected? Check all that apply:	
	had another test that showed that I had COVID-19	
	had symptoms of COVID-19 (fever, cough, trouble breathing)	
	had close contact with someone who had COVID-19	
	other:	
This tir	, when you were re-infected, how did your symptoms compare to your first infection with COVID-19?	
0	Vorse than the first infection	
0	bout the same as the first infection	
0	etter than the first infection	

Allow more fields depending on the number of re-infections

Since we are interested in understanding the health effects of COVID-19, we would appreciate it if you would notify us if you are diagnosed again with COVID-19. You are welcome to contact us in the following manner: ______. You are also welcome to send any COVID-19 test results in the following manner: [FILL IN COHORT PROCEDURES]

O I had no symptoms



COVID-19 HOSPITALIZATION

Since the last COVID-19 questionnaire, have you had an overnight stay in a hospital for any illness related to COVID-19?
O Yes
O No Skip to SYMPTOMS
O Unsure If you answer "unsure," we will not ask you any more questions about COVID-19 hospitalization. If you'd like to provide some information on why you are unsure, please enter your comments here: Skip to SYMPTOMS
If previously reported COVID infection: Since the last COVID questionnaire, how many times have you been admitted to the hospital for COVID-19 or COVID-19 complications?
If no past record of COVID infection: How many times have you been admitted to the hospital for COVID-19 or COVID-19 complications?
times
If previously reported COVID infection: Over this period, when was the first time you were hospitalized for COVID-19 or complications thereof?
If no record of COVID infection: When was the first time you were hospitalized for COVID-19 or complications thereof?
Month: Year: (please estimate even if you are unsure)
Which hospital were you admitted to? (Name, City, State)
If previously reported COVID infection: How many nights did you spend in the hospital?
If no record of COVID infection: For the first hospital admission, how many nights did you spend in the hospital?
nights

December 30, 2020

Page 6 of 24



While in the hospital, did you have any of the following treatments	While in the hospital, o	lid you have an	v of the following	treatments?
---	--------------------------	-----------------	--------------------	-------------

	Yes	No	Don't know	# Days needed
Oxygen (by mask or nose)	0	0	0	
A breathing tube or ventilator	0	0	0	
"Intensive care unit" or ICU monitoring	0	0	0	
Dialysis	0	0	0	
Other:	0	0	0	

After this	hospitalization	, did v	vou:

- O Return home?
- O Go to a nursing or rehabilitation facility?
- O Go to live in the home of family or a friend?
- O Other: _____

If more than one hospitalization:

When was the [FILL IN AS NEEDED, SECOND, THIRD, ETC] time you were hospitalized for COVID-19 or complications thereof?

Month:	Year:	
--------	-------	--

Which hospital were you admitted to? (Name, City, State)

How many nights did you spend in the hospital? _____ nights

While in the hospital, did you have any of the following treatments?

	Yes	No	Don't know	# Days needed
Oxygen (by mask or nose)	0	0	0	
A breathing tube or ventilator	0	0	0	
"Intensive care unit" or ICU monitoring	0	0	0	
Dialysis	0	0	0	
Other:	0	0	0	

After this hospitalization, did you:

- O Return home?
- O Go to a nursing or rehabilitation facility?
- O Go to live in the home of family or a friend?
- O Other:



COVID-19 SYMPTOMS

If previously reported COVID infection:

When you knew or thought that you had COVID-19 in [FILL IN DATES FROM ABOVE REGARDING INFECTION], did you have any symptoms?

If no past record of COVID infection:

When you knew or thought that you had COVID-19 in [FILL IN DATES FROM ABOVE REGARDING FIRST INFECTION], did you have any symptoms?

0	No	→	Skip to RECOVERY
0	Yes		

Overall, when you COVID-19 symptoms were at their worst, did they interfere with (prevent you from going about) your daily activities?

- O Not at all
- O A little bit
- O Somewhat
- O Quite a bit
- O Very much

If participant previously reported COVID infection:

How did your symptoms compare to your first infection with COVID-19, which you reported on [DATE OF LAST QUESTIONNAIRE]?

- O Worse than the first infection
- O About the same as the first infection
- O Better than the first infection
- O I had no symptoms



If previously reported COVID infection:

When you had COVID-19 in [DATE], did you have any of the following symptoms? Please check the box for any symptom that started or got worse during the period you had COVID-19. For any box checked, indicate the number of days that you had the symptom and whether you still have the symptom now.

If no past record of COVID infection:

When you had COVID-19, did you have any of the following symptoms? Please check the box for any symptom that started or got worse during the period you had COVID-19. For any box checked, indicate the number of days that you had the symptom and whether you still have the symptom now.

		If yes:	If yes:
Symptom	Yes	How many days did you have the symptom?	Do you still have the symptom?
Fever			○ Yes ○ No
Shortness of breath (trouble breathing)			⊖ Yes ⊝ No
Cough			○ Yes ○ No
Chest pain			○ Yes ○ No
Abdominal pain			○ Yes ○ No
Nausea			○ Yes ○ No
Vomiting			○ Yes ○ No
Diarrhea			○ Yes ○ No
Body or muscle aches			○ Yes ○ No
Weakness or fatigue			○ Yes ○ No
Runny or dripping nose			○ Yes ○ No
Chills			○ Yes ○ No
Headache			○ Yes ○ No
Sore throat			O Yes O No
Stuffy nose (nasal congestion)			O Yes O No

(continued)



If previously reported COVID infection:

When you had COVID-19 in [DATE], did you have any of the following symptoms? Please check the box for any symptom that started or got worse during the period you had COVID-19. For any box checked, indicate the number of days that you had the symptom and whether you still have the symptom now.

If no past record of COVID infection:

When you had COVID-19, did you have any of the following symptoms? Please check the box for any symptom that started or got worse during the period you had COVID-19. For any box checked, indicate the number of days that you had the symptom and whether you still have the symptom now.

Symptom	Yes	If yes: How many days did you have the symptom?	If yes: Do you still have the symptom?
New loss of taste or smell			○ Yes ○ No
Confusion			○ Yes ○ No
Trouble sleeping			○ Yes ○ No
Conjunctivitis			○ Yes ○ No
Skin changes			○ Yes ○ No
Other:			○ Yes ○ No



COVID-19 RECOVERY

If previously reported COVID infection:

	ving your COVID-19 infection you say you are completely		DM ABOVE REGARDING FIRST INFECTION AND REINFECTION] D-19 now?
If no p	ast record of COVID infectio	on:	
	ring your COVID-19 infectio etely recovered from COVII		OM ABOVE REGARDING INFECTION], would you say you are
0	Yes → No	How long did it take	for you to recover? months days
At this	time, do you have any of t	ne following symptoms	s? (Check all that apply)
	Problems with your memore Problems with paying atte	•	☐ Inability to return to work or school (if you were working or in school pre-COVID)
	Problems with your appet	г	☐ Inability to return to your usual pre-COVID activities
	Problems with feeling ligh	theaded	☐ Feeling weak, tired and/or sick 24-48 hours after physical activity
	Trouble sleeping Periods of racing heart ra		☐ Other:
	Inability to exercise at pre	COVID level	
How w	orried are you that COVID-	19 infection is going to	have a long-term effect on your health?
_	Maria de alla construit		

- O Not at all worried
- O A little worried
- O Very worried

Is there anything else you'd like to share about your COVID-19 recovery experience?



COVID-19 IN YOUR COMMUNITY AND SOCIAL NETWORK

COVID-19 IN YOUR COMMUNITY	AND SOCIAL NETWORK	
•	anyone personally (for example, friend, family, or co-worker) who has had ond without any symptoms of COVID-19.	COVID-19?
O Yes	If yes, how many? (may be approximate)	
Other than yourself, do you know	anyone personally who has been hospitalized for COVID-19?	
O Yes — — — — — — — — — — — — — — — — — — —	If yes, how many? (may be approximate)	
Do you know anyone personally w	ho has died from COVID-19?	
O Yes —	If yes, how many? (may be approximate)	



COVID-19 VACCINE ATTITUDES AND BELIEFS

Have y	ou received a vaccine for C	OVID-19	?		
0	Yes	When	were you vaccinated?	month	year
0	No		· · · · · · · · · · · · · · · · · · ·		
0	Unsure	Which	vaccine did you receive?		
		0	Moderna		
		0	Pfizer		
		0	AstraZeneca		
		0	Unknown		
		0	Other:		
		How n	nany doses did you receive?		
		0	One		
		0	Two		
		Skip n	ext question (Do you intend to rece	eive a vaccine)	

Do you intend to receive a coronavirus (COVID-19) vaccine?

- O I intend to get it as soon as possible
- O I intend to wait to see how it affects others in the community before I get it
- O I do not intend on getting it soon, but might sometime in the future
- O I do not intend to ever get the vaccine

For these questions, we are asking what factors contribute to your attitudes about a COVID-19 vaccine. For each option, would you agree or disagree that this factor affects your opinion about a vaccine?

	Agree	Disagree
The current politics	0	0
The rushed/ fast-tracked research and development timeline	0	0
The frequently changing science of COVID-19	0	0
Actions and opinions of my friends and family regarding the vaccine	0	0
My trust in scientists	0	0
My own reading and research on coronavirus (COVID-19) vaccines	0	0
The country in which a vaccine is manufactured	0	0
The potential cost of a coronavirus (COVID-19) vaccine	0	0
Other (please specify):	0	0



			Much less likely	Somewhat less likely	Somewhat more likely		No change		
you (CO	rse VID	considering your willingness to vaccinate If in general, has the global Coronavirus 19) pandemic changed how likely you are to ate yourself compared with one year ago?	0	0	0	0	0		
Did	yo	u receive the influenza ("flu") vaccine this year	r (August 2020	or later)?					
	0	Yes							
	0	No							
	0	Unsure							
Ove	er tl	ne past five years, how often did you get the s	easonal flu va	ccine?					
	0	Never							
	0	1-2 years							
	0	3-4 years							
	0	Every year							
	0	Unsure							
Hav	e y	ou received the pneumonia vaccine ("Pneumo	ovax" or "Prev	nar")?					
	0	Yes							
	0	No							
	0	Unsure							
Hav	e y	ou received the shingles vaccine?							
	0	Yes							
	0	No							
	0	Unsure							
Hov	v st	crongly do you agree or disagree with each of	the following			es in general? Disagree			
	Va	occines are important for my health			0	0			
	٥١	verall, vaccines are safe			0	0			
	٥١	verall, vaccines are effective			0	0			
	The information I receive about vaccines from public health authorities/my healthcare provider is reliable and trustworthy								

I am concerned about serious adverse (bad) effects of vaccines

0

0



Please answer the following questions about your beliefs and attitudes regarding the seasonal influenza vaccine.

	Strongly Agree	Agree	Disagree	Strongly Disagree
The flu vaccine is important	0	0	0	0
The flu vaccine is safe	0	0	0	0
The flu vaccine is effective	0	0	0	0
The flu vaccine is convenient	0	0	0	0
The flu vaccine is affordable	0	0	0	0
I am required to get a flu vaccine for my jo	b O	0	0	0



COVID-19 PANDEMIC IMPACT ON HEALTHCARE AND FINANCES

The next section of questions ask about how the coronavirus pandemic has impacted your life since March 2020, when

the COVID-19 pandemic became widespread in the		ed States.
Since March 2020, did you have to delay or miss out treatments that you avoided, or that were postpone		any healthcare services? Please include any appointments or canceled, due to COVID-19.
O Yes		
O No		
If "No": skip to URGENT CARE		
What type of healthcare services did you have to de	elay (or miss out on due to COVID-19? (Check all that apply)
☐ Home care by a skilled person		Biopsy
☐ Medical provider appointment		Cancer surgery (e.g., resection, lumpectomy)
\qed Physical/occupational therapist appointment		Heart disease evaluation (e.g., "stress test," cardiac
☐ Chemotherapy or other infusion therapy		catheterization)
☐ Psychiatrist/therapist appointment		Other:
☐ Elective surgery		
☐ Imaging tests such as x-ray, computed tomography ("cat" or "CT") scan, MRI, PET scan, ultrasound		
Was there ever a time during the pandemic when yo should have gone? O Yes	ou di	dn't go to the emergency room (ER) or urgent care when you
O No		
Are you prescribed any medications?		
O Yes —		
O No During this period, did yo	u ha	ve trouble taking your medications regularly?
O Yes ——	Why	y? (check all that apply)
O No		Trouble getting medications from the pharmacy
		Trouble getting in touch with my doctor/provider
		Trouble paying for medications
		Increased forgetfulness or lack of motivation
		Other:



During this period, have you experienced any of the following:	Yes	No	Not Applicable
Did you or a member of your household lose their job, have to stop working, or have to work fewer hours?	0	0	0
If yes: Have you or another household member requeste O Yes O No	d or receive	ed unemploy	yment benefits?
	Yes	No	Not Applicable
Did you lose childcare or need to spend more time caring for your or other people's children?	0	0	0
Did you or any member of your household lose other sources of financial support, like food stamps?	0	0	0
Did you lose your housing, or become homeless?	0	0	0
Did you have a change in your health insurance coverage?	0	0	0
 If yes: Did you lose your health insurance? ○ Yes ○ No Did you gain insurance as part of emergency cove ○ Yes ○ No Did you gain coverage due to a new job? ○ Yes ○ No 	rage or Me	dicaid expan	sion?
	Yes	No	Not Applicable
Did you have difficulty paying for basic needs, including food, clothing, shelter or heat during this time?	0	0	0

December 30, 2020

Page 17 of 24



COVID-19 PANDEMIC IMPACT ON BEHAVIOR

This is a list of potential actions we want to know if you have taken to reduce your risk of exposure to COVID-19. You can say "most or all of the time," "sometimes." or "rarely or never."

can say "most or all of the time," "sometimes," or "rarely or never."	Most/All		Rarely/
	Times	Sometimes	Never
Staying at home	0	0	0
Avoiding contact with people outside of my home	0	0	0
Washing hands and/or using sanitizer frequently	0	0	0
Staying at least 6 feet away from others	0	0	0
Avoiding large gatherings	0	0	0
Avoiding eating indoors at restaurants/bars	0	0	0
Cancelled planned travel	0	0	0
Wearing a face mask	0	0	0
Not shaking hands or touching people	0	0	0
Not going to work	0	0	0
Wiping down surfaces with disinfectant	0	0	0

C4R Questionnaire | Prepared by MESA December 30, 2020 Page 18 of 24



We would like to know how your activity may have changed since the start of the pandemic in March 2020.

Activity	In the 3 prior to 1 pandemito March did your do this a	the ic (January n 2020), regularly	Are you doing this activity now?		If yes-prior Compared to are you doi same amou	to before ng this mo		
	No	Yes	No	Yes	More	Less	Same amount	
Walking for exercise	0	0	0	0	0	0	0	
Vigorous activities (like running)	0	0	0	0	0	0	О	
Watching shows or movies	0	0	0	0	0	0	О	If doing this activity now, how much?
Drinking alcoholic beverages	0	0	0	0	0	0	О	drinks/week
Smoking cigarettes	0	0	0	0	0	0	0	cigarettes/day
E-cigarettes (vaping)	0	0	0	0	О	0	0	e-cigarettes/day
Using medical or recreational marijuana/ cannabis	0	0	0	0	О	0	0	uses/week

During the pandemic, are you generally eating and snacking more, less, or the same?

- O More
- O Less
- O Same amount



Has your weight changed since March 2020?

0	Gained weight					
0	Lost weight					
0	No change in weight					
Were	you trying to change your weight s	ince March 2020)?			
0	Yes					
0	No					
How d	oes your general health compare t	o before the par	ndemic?			
0	Better					
0	Worse					
0	About the same					
During	the pandamic are you generally s	looping more le	uss or the same	.2		
_	g the pandemic, are you generally s	ieeping more, ie	iss, or the same	r.f		
0	More					
<i>(</i>)	Less					
0						
0	Same amount					
O These	Same amount questions ask about your sleep ha	bits. Pick the ans	swer that best c	describes how oft	en you experier	nced the situatio
O These	Same amount	bits. Pick the ans No, not in past 4 weeks	swer that best o Yes, less than once a week	describes how oft Yes, 1 or 2 times a week	en you experier Yes, 3 or 4 times a week	nced the situatio Yes, 5 or more times a week
O These over t	Same amount questions ask about your sleep ha	No, not in	Yes, less than	Yes, 1 or 2	Yes, 3 or 4	Yes, 5 or more
These over t	Same amount questions ask about your sleep ha he PAST 4 WEEKS.	No, not in past 4 weeks	Yes, less than once a week	Yes, 1 or 2 times a week	Yes, 3 or 4 times a week	Yes, 5 or more times a week
These over to Did you Did you Did you	Same amount questions ask about your sleep ha he PAST 4 WEEKS. bu have trouble falling asleep?	No, not in past 4 weeks	Yes, less than once a week	Yes, 1 or 2 times a week	Yes, 3 or 4 times a week	Yes, 5 or more times a week
Did you Did you Did you Did you Did you Did you	Same amount questions ask about your sleep ha he PAST 4 WEEKS. ou have trouble falling asleep? ou wake up several times at night? ou wake up earlier than you	No, not in past 4 weeks O	Yes, less than once a week O	Yes, 1 or 2 times a week	Yes, 3 or 4 times a week O	Yes, 5 or more times a week O
Did you Did you Did you Did you Did you Did you	Same amount questions ask about your sleep ha he PAST 4 WEEKS. ou have trouble falling asleep? ou wake up several times at night? ou wake up earlier than you ned to? ou have trouble falling back asleep	No, not in past 4 weeks O O O	Yes, less than once a week O O	Yes, 1 or 2 times a week O O	Yes, 3 or 4 times a week O O	Yes, 5 or more times a week O O
Did you Did you Did you Did you plan Did you after	Same amount questions ask about your sleep ha he PAST 4 WEEKS. ou have trouble falling asleep? ou wake up several times at night? ou wake up earlier than you ned to? ou have trouble falling back asleep	No, not in past 4 weeks O O O Very sound or	Yes, less than once a week O O O Sound or	Yes, 1 or 2 times a week O O O	Yes, 3 or 4 times a week O O O	Yes, 5 or more times a week O O O
Did you Did you plan Did you after	Same amount questions ask about your sleep ha he PAST 4 WEEKS. ou have trouble falling asleep? ou wake up several times at night? ou wake up earlier than you ned to? ou have trouble falling back asleep r you woke up too early? II, was your typical night's sleep r the past 4 weeks g the past 12 months, have you exp	No, not in past 4 weeks O O O Very sound or restful O	Yes, less than once a week O O O Sound or restful O	Yes, 1 or 2 times a week O O O Average quality O	Yes, 3 or 4 times a week O O O Restless O	Yes, 5 or more times a week O O O Very restless O
Did you Did you plan Did you after Overa	Same amount questions ask about your sleep ha he PAST 4 WEEKS. ou have trouble falling asleep? ou wake up several times at night? ou wake up earlier than you ned to? ou have trouble falling back asleep r you woke up too early? II, was your typical night's sleep r the past 4 weeks g the past 12 months, have you exp	No, not in past 4 weeks O O O Very sound or restful O	Yes, less than once a week O O O Sound or restful O	Yes, 1 or 2 times a week O O O Average quality O	Yes, 3 or 4 times a week O O O Restless O	Yes, 5 or more times a week O O O Very restless O



C

COVID	-19 PANDEMIC IMF	PACT ON SOCIAL INTERACTIONS					
Do you	u live alone?						
0	Yes ———— (Other than yourself, how many people are currently sharing your home, and what are their ages?					
		0-1 years old:	40-49 years old:				
		2-4 years old:	50-64 years old:				
		5-11 years old:	65-74 years old:				
		12-18 years old:	75-84 years old:				
		19-29 years old:	85+ years old:				
		30-39 years old:					
Can yo	ou count on anyone Yes No Do not know	to help you when you need to ma	ke difficult decisions or talk over problems?				
	ou count on anyone you a ride?	to help you with daily tasks like gr	ocery shopping, house cleaning, cooking, telephoning, or				
0	Yes						
0	No						
0	Do not know						



COVID-19 PANDEMIC IMPACT ON MOOD

Here is a list of some ways you might have felt or behaved in the PAST WEEK. Please indicate how many days you have felt this way during the past week.

	Rarely or none of the time (<1 day)	Some or a little of the time (1-2 days)	Occasionally or a moderate amount of the time (3-4 days)	All of the time (5-7 days)
I was bothered by things that usually don't bother me	0	0	0	0
I had trouble keeping my mind on what I was doing.	0	0	0	0
I felt depressed.	0	0	0	0
I felt that everything I did was an effort.	0	0	0	0
I felt hopeful about the future.	0	0	0	0
I felt fearful.	0	0	0	0
My sleep was restless.	0	0	0	0
I was happy.	0	0	0	0
I felt lonely.	0	0	0	0
I could not "get going."	0	0	0	0

For the following list, please consider your feelings during the PAST WEEK.

	_	_			
	Not at all	A little bit	Somewhat	Quite a bit	Very much
My worries overwhelmed me	0	0	0	0	0
I felt uneasy	0	0	0	0	0
I found it hard to focus on anything other than my anxiety	0	0	0	0	0
I felt fatigued	0	0	0	0	0
I had trouble starting things because I was tired	0	0	0	0	0
How run down did you feel on average?	0	0	0	0	0
How fatigued were you on average?	0	0	0	0	0

C4R Questionnaire | Prepared by MESA December 30, 2020 Page 22 of 24



	Stro	ngly				
			agree N	leutral	Agree	Strongly agre
I tend to bounce back quickly after hard ti	mes ()	0	0	0	0
For each of the following items, please provid	e the respo	nse that desc	ribes your life	e.		
			Ofter		ne of the time	Hardly ever
How often do you feel that you lack comp	oanionship?		0		0	0
How often do you feel left out?			0		0	0
How often do you feel isolated from othe	ers?		0		0	0
The questions in this scale ask you about your	teelings ar	ia thailante ai	iring the LAS			
indicate how often you felt or thought a certa	in way.					
indicate how often you felt or thought a certa In the last month, how often have you felt that you were unable to control	_	Almost nev		mes F	airly often	Often
In the last month, how often have you felt that you were unable to control the important things in your life?	in way. Never	Almost nev	ver Someti	mes F	airly often	Often
indicate how often you felt or thought a certa In the last month, how often have you felt that you were unable to control	in way. Never	Almost nev	ver Someti	imes F	airly often	Often
In the last month, how often have you felt that you were unable to control the important things in your life? In the last month, how often have you felt confident in your ability to handle	in way. Never	Almost nev	ver Someti	mes F	airly often O	Often O
In the last month, how often have you felt that you were unable to control the important things in your life? In the last month, how often have you felt confident in your ability to handle your personal problems? In the last month, how often have you	in way. Never	Almost nev	ver Someti	imes F	airly often O	Often O

C4R Questionnaire | Prepared by MESA December 30, 2020 Page 23 of 24



COVID-19 BELIEFS AND ATTITUDES

Please indicate how much you agree or disagree with these statements.

	Strongly Disagree	Disagree	Neither disagree nor agree	Agree	Strongly agree
I am worried that our family will experience racism or discrimination in relation to coronavirus	0	Ο	0	0	0
I have noticed increased conflict in our family since our area started worrying about coronavirus	0	0	0	0	0
I think all of this worry about coronavirus is blown out of proportion	0	0	0	0	0
I think it is likely that I will get coronavirus	0	0	0	0	0
I think it is likely I will be hospitalized or die from the coronavirus	0	0	0	0	0
I think it is likely that someone very close to me will get coronavirus	0	0	0	0	0
I think it is likely that someone very close to me will be hospitalized or die from the coronavirus	0	0	0	0	0