	Abortion (only	women)	
8.1.	During the COVID-19 social distancing measures have you been in need of a termination of pregnancy (abortion)?	1 No 2 Yes	If 1, go to section 9.
8.2.	Did you have an abortion during the COVID-19 social distancing measures?	1 No 2 Yes, a medical abortion (taking pills, e.g. misoprostol) 3 Yes, a surgical abortion 4 Yes, with other methods	
8.3.	Has the COVID-19 situation stopped or hindered you from seeking or obtaining an abortion?	1 No 2 Yes	If 1 on 8.2 AND 1 on 8.3., go to section 9
8.4.	How did the COVID-19 social distancing measures stop or hinder you from seeking or obtaining an abortion?	1 No transport available 2 I am too afraid I will acquire COVID-19 if I go to the doctor/health centre to get an abortion 3 I am not able/allowed to leave the house 4 Method not in stock (abortion service not available) 5 Doctor/health professional not available 6 Pharmacy/dispensary closed 7 I can no longer afford an abortion 8 Health centre/clinic has long queues or is not accessible at this time 9 Other	
8.5.	What services would you use to obtain an abortion before the COVID-19 social distancing measures? (multiple responses possible)?	1 I never had an abortion before the COVID-19 social distancing measures 2 Family physician / General practitioner 3 Hospital or health centre doctor/nurse 4 Online services 5 Telephone services 6 Over the counter services (pharmacy) 7 Traditional healer 8 Self-medication 9 Abortion clinic 10 Through a civil society organization for abortion 11 Other	

8.6. What services did you use to obtain an abortion 1 Family physician / General during the COVID-19 social distancing measures? practitioner (multiple responses possible)? 2 Hospital or health centre doctor/nurse 3 Online services 4 Telephone services 5 Over the counter services (pharmacy) 6 Traditional healer 7 Self-medication 8 Abortion clinic 9 Through a civil society organization for abortion 10 Other 8.7. Did you experience any delays in obtaining abortion 1 No care? 2 Yes, a few days 3 Yes 1-2 weeks 4 Yes, 3-4 weeks 5 Yes, more than 4 weeks