

Data Collection Worksheet

Please Note: The Data Collection Worksheet (DCW) is a tool to aid investigators to integrate the collection of PhenX measures in your study. The PhenX measures that you selected and added to your Cart are presented in the DCW in alphabetical order. The DCW includes worksheets for data collection. Variables derived from the collected data are shown in the Data Dictionary (DD) with variable names and unique PhenX variable identifiers. The collection of DCWs produced by the Toolkit is not designed as a data collection instrument. Each investigator will decide how to integrate PhenX measures into data collection for their study.

Have you EVER used any of these medicines or drugs?

1. Sedatives, for example, sleeping pills, barbiturates, Seconal®, Quaaludes, or Chloral Hydrate - *Specify* ↓

2. Tranquilizers or anti-anxiety drugs, for example, Valium®, Librium®, muscle relaxants, or Zanax®- *Specify* ↓

3. Painkillers, for example, Codeine, Darvon®, Percodan®, Oxycontin®, Dilaudid®, Demerol®, Celebrex®or Vioxx®- *Specify* ↓

4. Stimulants, for example, Preludin®, Benzedrine®, Methedrine®, Ritalin®, uppers, or speed - *Specify* ↓

5. Marijuana, hash, THC, or grass - *Specify* ↓

6. Cocaine or crack - *Specify* ↓

7. Hallucinogens, for example, Ecstasy/MDMA, LSD, mescaline, psilocybin, PCP, angel dust, or peyote - *Specify* ↓

8. Inhalants or solvents, for example, amyl nitrite, nitrous oxide, glue, toluene or gasoline - *Specify* ↓

9. Heroin

10. Any OTHER medicines, or drugs, or substances, for example, methadone, Elavil®, steroids, Thorazine® or Haldol®? - (*SELECT MOST FREQUENTLY USED OTHER DRUG*)

*The following supplemental flashcard has been revised from the original to reflect the ten drug categories listed in the Alcohol Use Disorder and Associated Disabilities Interview Schedule Fourth Edition Version (AUDADIS - IV) instrument. **

Flashcard

TYPES OF MEDICINES/DRUGS

1. **Sedatives**, for example, sleeping pills, barbiturates, Seconal®, Quaaludes®, or Chloral Hydrate®
2. **Tranquilizers or anti-anxiety drugs**, for example, Valium®, Librium®, muscle relaxants, or Zanax®
3. **Painkillers**, for example, Codeine, Darvon®, Percodan®, Dilaudid®, or Demerol®
4. **Stimulants**, for example, Preludin®, Benzedrine®, Methadrine®, uppers, or speed
5. **Marijuana hash, THC, or grass**
6. **Cocaine or crack**
7. **Hallucinogens**, for example, Ecstasy, LSD, mescaline, psilocybin, PCP, angel dust, or peyote
8. **Inhalants or Solvents**, for example, amyl nitrate, nitrous oxide, glue, toluene, or gasoline
9. **Heroin**
10. **Any OTHER medicines, drugs, or substances**, for example Methadone®, Elavi®, steroids, Thorazine®, or Haldol®

* The original Wave 1 National Epidemiologic Survey on Alcohol and Related Conditions (NESARC) instrument had ten categories for the lifetime substance use question: Categories 1-8 listed above, along with two additional slots where the respondent could name one of the "other" drugs (including heroin). While editing the data from the Wave 1 responses, the National Institute on Alcohol Abuse and Alcoholism (NIAAA) determined a single category for heroin would be appropriate, leaving only one field for coding "other" drugs. The Alcohol Use Disorder and Associated Disabilities Interview Schedule Fourth Edition Version (AUDADIS - IV) was modified to create a separate category 9 for heroin and a category 10 for other drugs and edited the AUDADIS questionnaire to reflect this change.