



Data Collection Worksheet

Please Note: The Data Collection Worksheet (DCW) is a tool to aid integration of a PhenX protocol into a study. The PhenX DCW is not designed to be a data collection instrument. Investigators will need to decide the best way to collect data for the PhenX protocol in their study. Variables captured in the DCW, along with variable names and unique PhenX variable identifiers, are included in the PhenX Data Dictionary (DD) files.

1. Are you pregnant now?

1 Yes

2 No

2. Have you ever had both of your tubes tied, cut, or removed? This procedure is often called a tubal ligation or tubal sterilization.

1 Yes (questions complete)

2 No

3. Have you ever had a hysterectomy, that is, surgery to remove your uterus?

1 Yes (questions complete)

2 No

4. Has (HUSBAND/PARTNER) ever had a vasectomy or any other operation that would make it impossible for him to father a baby in the future?

1 Yes (questions complete)

2 No

5. (If currently sexually active and not sterilized) The last time that you had sexual intercourse, did you or your partner use any method of contraception?

1 Yes

2 No (questions complete)

6. (If used contraception at last intercourse) What contraceptive method did you or your partner use?

3 Birth control pills

- 4 [] Condom
- 5 [] Partner's vasectomy
- 6 [] Female sterilizing operation, such as tubal sterilization and hysterectomy
- 7 [] Withdrawal, pulling out
- 8 [] Depo-Provera™, injectables
- 9 [] Hormonal implant (Norplant™ , Implanon™, or Nexplanon™)
- 10 [] Calendar rhythm, Standard Days, or Cycle Beads method
- 11 [] Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, or Sympto-thermal Method)
- 12 [] Diaphragm
- 13 [] Female condom, vaginal pouch
- 14 [] Foam
- 15 [] Jelly or cream
- 16 [] Cervical cap
- 17 [] Suppository, insert
- 18 [] Today™ sponge
- 19 [] Intrauterine device (IUD), coil, loop (Mirena, Paraguard)
- 20 [] Emergency Contraception
- 21 [] Other method -- specify
- 22 [] Respondent was sterile
- 23 [] Respondent's partner was sterile
- 24 [] Lunelle™ injectable (monthly shot)*
- 25 [] Contraceptive patch
- 26 [] Vaginal contraceptive ring

*Lunelle is no longer available in the U.S.

Depo-Provera® is a registered trademark of Pfizer Inc.; Norplant® is the registered trademark of the Population Council for levonorgestrel-releasing capsule implants for protection against pregnancy; Today® is a registered trademark of Alvogen

Group, Inc.

Protocol source: <https://www.phenxtoolkit.org/protocols/view/100303>