



Data Collection Worksheet

Please Note: The Data Collection Worksheet (DCW) is a tool to aid integration of a PhenX protocol into a study. The PhenX DCW is not designed to be a data collection instrument. Investigators will need to decide the best way to collect data for the PhenX protocol in their study. Variables captured in the DCW, along with variable names and unique PhenX variable identifiers, are included in the PhenX Data Dictionary (DD) files.

Monitoring the Future Questionnaire

Friends' Use of Substances (Form 1, Part B, Item 106)

1. How many of your friends would you estimate . . .

a. Smoke cigarettes?

1 None

2 A Few

3 Some

4 Most

5 All

b. Smoke marijuana (pot, weed) or hashish?

1 None

2 A Few

3 Some

4 Most

5 All

c. Take "Crack" cocaine?

1 None

2 A Few

3 Some

4 [] Most

5 [] All

d. Take cocaine powder?

1 [] None

2 [] A Few

3 [] Some

4 [] Most

5 [] All

e. Drink alcoholic beverages (liquor, beer, wine)?

1 [] None

2 [] A Few

3 [] Some

4 [] Most

5 [] All

g. Get drunk at least once a week?

1 [] None

2 [] A Few

3 [] Some

4 [] Most

5 [] All

h. Use an e-cigarette, e-pen, etc.?

1 [] None

2 [] A Few

3 [] Some

4 [] Most

5 [] All

Friends' Attitudes About Your Use (Form 6, Part D, Item 18)

2. How do you think your CLOSE FRIENDS feel (or would feel) about YOU doing each of the following things? (Mark one circle for each line.)

a. Smoking one or more packs of cigarettes per day

1 Not Disapprove

2 Disapprove

3 Strongly Disapprove

b. Smoking cigarettes every day

1 Not Disapprove

2 Disapprove

3 Strongly Disapprove

c. Using smokeless tobacco occasionally

1 Not Disapprove

2 Disapprove

3 Strongly Disapprove

d. Using smokeless tobacco several times per day

1 Not Disapprove

2 Disapprove

3 Strongly Disapprove

e. Trying marijuana once or twice

1 Not Disapprove

2 Disapprove

3 Strongly Disapprove

f. Smoking marijuana occasionally

1 Not Disapprove

2 Disapprove

3 Strongly Disapprove

g. Trying “crack” cocaine once or twice

1 Not Disapprove

2 Disapprove

3 Strongly Disapprove

h. Trying “crack” cocaine occasionally

1 Not Disapprove

2 Disapprove

3 Strongly Disapprove

i. Trying cocaine powder once or twice

1 Not Disapprove

2 Disapprove

3 Strongly Disapprove

j. Taking cocaine powder occasionally

1 Not Disapprove

2 Disapprove

3 Strongly Disapprove

k. Taking one or two drinks nearly every day

1 Not Disapprove

2 Disapprove

3 Strongly Disapprove

l. Taking four or five drinks nearly every day

1 Not Disapprove

2 Disapprove

3 Strongly Disapprove

m. Having five or more drinks once or twice each weekend

1 Not Disapprove

2 [] Disapprove

3 [] Strongly Disapprove

n. Driving a car after having 1-2 drinks

1 [] Not Disapprove

2 [] Disapprove

3 [] Strongly Disapprove

o. Driving a car after having 5 or more drinks

1 [] Not Disapprove

2 [] Disapprove

3 [] Strongly Disapprove

Scoring

Investigators can compare the results from these questions with the yearly national trends published on the Monitoring the Future website (<http://monitoringthefuture.org/>) and with specific variables on the Substance Abuse and Mental Health Data Archive (SAMHDA, <http://www.icpsr.umich.edu/content/SAMHDA/index>)).

Protocol source: <https://www.phenxtoolkit.org/protocols/view/540402>