## COVID-19 EXPERIENCES AMONG SOUTH AFRICAN ADOLESCENT GIRLS AND THEIR MOTHERS

<u>Notes</u>: This tool was designed to be completed by South African adolescent girls (ages 15-19 years) and their mothers or another primary caregiver as part of the IMARA (Informed, Motivated, Aware, and Responsible Adolescents and Adults) study. Xhosa translations are in blue and italics below.

Please tell us about your experiences during the novel Coronavirus (COVID-19) pandemic. In answering these questions, please think about what has happened from March 2020 to the present, due to COVID-19.

- **Q1**. Since the COVID-19 outbreak, are you concerned about being at risk for homelessness because of not being able to pay your rent or bond?
  - 1 Not at all concerned
  - 2 Somewhat concerned
  - 3 Very concerned

Ukusukela oko kwaqale uqhabhuko lwe-COVID-19, uxhalabile ekubasesichengeni sokungabinandawo yokuhlala kuba awukwazi ukubhatala imali yerente okanye ibhondi?

- 1 Akunkxhalabisi kwaphela
- 2 Kunkxhalabisi ngandlela ithile
- 3 Kunkxhalabisi kakhulu
- **Q2.** Since the COVID-19 outbreak, do you worry whether your food would run out because of a lack of money?
  - 1 Yes
  - 0 No

Ukusukela oko kwaqala uqhabhuko lwe-COVID-19, uyaxhalaba ukuba ukutya kwakho kungaphela kuba kungekho mali?

- 1 Ewe
- 0 Hayi
- **Q3.** Since the COVID-19 outbreak, you have sex:
  - 1 Less often
  - 2 About the same
  - 3 More often

Ukusukela oko kwaqala uqhabhuko lwe-COVID-19, wabelana ngesondo:

- 1 Rhogo kancinci
- 2 Ngokufanayo
- 3 Ngamaxesha amaninsi
- **Q4.** Since the COVID-19 outbreak, you drink alcohol (beer, wine, liquor, local brew, booze, spirits, etc.):
  - 1 Less often
  - 2 About the same
  - 3 More often

Ukusukela oko kwaqala uqhabhuko lwe-COVID-19,usela utywala (ibhiya, iwayini, utywala, utywala obenziwiweyo, isipirithi, nokunye.):

- 1 Rhoqo kancinci
- 2 Ngokufanayo
- 3 Ngamaxesha amaninsi

- Q5. Since the COVID-19 outbreak, you use marijuana (dagga, chamba, weed):
  - Less often 1
  - 2 About the same
  - 3 More often

Ukusukela oko kwaqala uqhabhuko lwe-COVID-19, usebenzisa insangu(dagga,chamba,iweed):

- 1 2 Rhoqo kancinci Ngokufanayo
- Ngamaxesha amaninsi 3

- **Q6.** Since the COVID-19 outbreak, you use drugs other than marijuana:
  - 1 Less often
  - 2 About the same
  - 3 More often

Ukusukela oko kwaqala uqhabhuko lwe-COVID-19, usebenzise iziyobisi ngaphandle kwensangu:

- 1 Rhogo kancinci
- 2 Ngokufanayo
- 3 Ngamaxesha amaninsi
- **Q7.** Since the COVID-19 outbreak, you go to the clinic or attend health care appointments with your doctor:
  - 1 Less often
  - 2 About the same
  - 3 More often

Ukusukela oko kwaqala uqhabhuko lwe-COVID-19, uyaya eKlinikhi, okanye uphumelele kumadinga akho wempilo nogqirha wakho:

- 1 Rhogo kancinci
- 2 Ngokufanayo
- 3 Ngamaxesha amaninsi
- **Q8.** Since the COVID-19 outbreak, you get PrEP clinical care:
  - 1 Less often
  - 2 About the same
  - 3 More often

Ukusukela oko kwaqala uqhabhuko lwe-COVID-19, uyayifumana inkathalo yeKlinikhi ka PrEP:

- 1 Rhogo kancinci
- 2 Ngokufanayo
- 3 Ngamaxesha amaninsi
- **Q9.** Since the COVID-19 outbreak, your adherence to daily oral PrEP has:
  - 1 Decreased
  - 2 Not changed
  - 3 Increased

Ukusukela oko kwaqala uqhabhuko lwe-COVID-19,ukubambelela kwakho ekuthatheni iPrEP eselwayo mihla yonke kuye kwa:

- 1 Rhogo kancinci
- 2 Ngokufanayo
- 3 Ngamaxesha amaninsi
- **Q10.** Since the COVID-19 outbreak, your willingness to prevent HIV has:
  - 1 Decreased
  - 2 Not changed
  - 3 Increased

UKUSUKELA OKO KWAQALA UQHABHUKO LWE-COVID-19,UKULUNGELA KWAKHO UKUTHINTELA IHIV KUYE KWA:

- 1 Kwehlile
- 2 Akutshintshanga
- 3 Kwenyukile

<sup>\*</sup>Questions 1 – 10 have been re-numbered and are listed as Q14. – Q23 in the original survey