

## Data Collection Worksheet

**Please Note:** The Data Collection Worksheet (DCW) is a tool to aid integration of a PhenX protocol into a study. The PhenX DCW is not designed to be a data collection instrument. Investigators will need to decide the best way to collect data for the PhenX protocol in their study. Variables captured in the DCW, along with variable names and unique PhenX variable identifiers, are included in the PhenX Data Dictionary (DD) files.

### Pain Catastrophizing Scale - Child Version

#### Thoughts and feelings during pain

We are interested in what you think and how strong the feelings are when you are in pain. Below are 13 sentences of different thoughts and feelings you can have when you are in pain. Try to show us as clearly as possible what you think and feel by putting a circle around the word under each sentence that best reflects how strongly you have each thought.

1. When I am in pain, I worry all the time about whether the pain will end.				
NOT AT ALL	MILDLY	MODERATELY	SEVERLY	EXTREMELY
2. When I am in pain, I feel I can't go on like this much longer.				
NOT AT ALL	MILDLY	MODERATELY	SEVERLY	EXTREMELY
3. When I am in pain, it's terrible and I think it's never going to get better.				
NOT AT ALL	MILDLY	MODERATELY	SEVERLY	EXTREMELY
4. When I am in pain, it's awful and I feel that it takes over me.				
NOT AT ALL	MILDLY	MODERATELY	SEVERLY	EXTREMELY

5. When I am in pain, I can't stand it anymore.				
NOT AT ALL	MILDLY	MODERATELY	SEVERLY	EXTREMELY
6. When I am in pain, I become afraid that the pain will get worse.				
NOT AT ALL	MILDLY	MODERATELY	SEVERLY	EXTREMELY
7. When I am in pain, I keep thinking of other painful events.				
NOT AT ALL	MILDLY	MODERATELY	SEVERLY	EXTREMELY
8. When I am in pain, I want the pain to go away.				
NOT AT ALL	MILDLY	MODERATELY	SEVERLY	EXTREMELY
9. When I am in pain, I can't keep it out of my mind.				
NOT AT ALL	MILDLY	MODERATELY	SEVERLY	EXTREMELY
10. When I am in pain, I keep thinking about how much it hurts.				
NOT AT ALL	MILDLY	MODERATELY	SEVERLY	EXTREMELY
11. When I am in pain, I keep thinking about how much I want the pain to stop.				
NOT AT ALL	MILDLY	MODERATELY	SEVERLY	EXTREMELY
12. When I am in pain, there is nothing I can do to stop the pain.				
NOT AT ALL	MILDLY	MODERATELY	SEVERLY	EXTREMELY
13. When I am in pain, I wonder whether something serious may happen.				
NOT AT ALL	MILDLY	MODERATELY	SEVERLY	EXTREMELY

Crombez, Bijttebier, Eccleston, Mascagni, Mertens, Goubert and Verstraeten. (2012). Pain Catastrophizing Scale (child version and parent version). Measurement Instrument Database for the Social Science. Retrieved from [www.midss.ie](http://www.midss.ie)

Protocol source: <https://www.phenxtoolkit.org/protocols/view/860202>